

Information Visualization

Jing Yang
Spring 2008

1

Interaction

2

What is Interaction?

- From Google: Reciprocal action between a human and a computer
- One of the two main components in infovis
 - Representation
 - Interaction
- Interaction is what distinguishes infovis from static visual representations on paper

3

Interaction

- How do you define “interactive”?

4

Response Time

- 0.1 sec
 - animation, visual continuity, sliders
- 1 sec
 - system response, conversation break
- 10 sec
 - cognitive response

5

Interaction Types

- Dix and Ellis (AVI '98) propose
 - Highlighting and focus
 - Accessing extra info – drill down and hyperlinks
 - Overview and context – zooming and fisheyes
 - Same representation, changing parameters
 - Linking representations – temporal fusion

6

Interaction Types

- Keim's taxonomy (TVCG '02) includes
 - Projection
 - Filtering
 - Zooming
 - Distortion
 - Linking and brushing

7

Selection

- User isolates a subset of the display components that will then be subjected to some other operation, such as highlighting, deleting, masking, drilling down, or moving to the center of focus.
- Selection can also be classified as to whether the user clicks on entities, paints over a selection of entities (e.g., holding the mouse button down while moving over the entities of interest), or otherwise isolating the entities via techniques such as bounding boxes and lassoes.

8

Pop-up tooltips

- Hovering mouse cursor brings up details of item
- Example: Microsoft office

9

Excentric Labeling

“Excentric Labeling: Dynamic Neighborhood Labeling for Data Visualization”

Jean-Daniel Fekete, Catherine Plaisant

SIGCHI conference on Human Factors in Computing systems in 1999

10

Taxonomy of labeling...

Type	Technique	Comments/Problems
STATIC	No label	No labels!
	Label-only-when-you-can (i.e. after filtering objects)	Need effective filters. Labels are rarely visible.
	Rapid Label-All	High risk of overlaps or ambiguous linking to objects
	Optimized Label-All	Often slow - may not be possible
	Optimized Label-All with aggregation and sampling	Effective but application dependant- may not be possible

13

Taxonomy of labeling...

■ Dynamic

One at a time	Cursor sensitive balloon label	Requires series of precise selection to explore space (slow), cannot reach overlapped objects.
	Cursor Sensitive label in side-window	Same as above. Constant eye movement can be a problem, but avoids occlusion of other objects.
	Temporal brushing (Cleveland)	More labels visible at a time, but overlapping problem.

14

Taxonomy of labeling...

■ Dynamic

Global display change	Zoom until labels appear	May require extensive navigation to see many labels (can be effectively combined with semantic zooming, e.g., Pad++)
	Filter until labels appear	May require several filtering to see labels (can be effectively combined with Zooming, e.g., starfields)

15

Taxonomy of labeling...

■ Dynamic


Focus + context	Overview and detail view without deformation	Effective when objects are separated enough in the detail view to allow labels to fit (not guaranteed.)
	Overview and detail with deformation/transformation (i.e. fisheye or magic lenses)	Deformation might allow enough room for labels to fit. (not guaranteed). May require tool or mode to be selected.
	Global deformation of space (e.g., Hyperbolic Browser)	Requires intensive navigation and dexterity to rapidly deform the space and reveal all labels (e.g., by fanning the space).

16

Taxonomy of labeling...

■ Dynamic

Sampling	Dynamic sampling (Chalmers et al.)	Few labels are visible.
NEW	Excentric labeling	Fast, no tool or special skill needed. Spread overlapping labels, and align them for ease of reading.



17

Algorithm

- 1. Extract each label and position for interesting graphic objects in the focus region.
- 2. Compute an initial position.
- 3. Compute an ordering.
- 4. Assign the labels to either a right or left set.
- 5. Stack the left and right labels according to their order.
- 6. Minimize the vertical distance of each set from the computed initial position.
- 7. Add lines to connect the labels to their related graphic object.

18

Excentric Labeling

- Demo

<http://www.cs.umd.edu/hcil/excentric/#prototypes>

19

Excentric Labeling

- Comparison of excentric with virtual instantaneous zoom.

- a 60% speed advantage for the excentric
- Easily learnable after a little practice.
- No of operations in zoom was much more



20

Details-on-Demand

- Term used in infovis when providing viewer with more information/details about data case or cases
- May just be more info about a case
- May be moving from aggregation view to individual view
 - May not be showing all the data due to scale problem
 - May be showing some abstraction of groups of elements
 - Expand set of data to show more details, perhaps individual cases

21

Zooming/Panning

- **Zooming in** - the interaction that changes the current display from a view of a lower level of detail to a view of a higher level of detail.
- **Zooming out** - the interaction that changes the current display from a view of a higher level of detail to a view of a lower level of detail.
- **Panning** - the interaction that changes the current display from a subregion of a view to an adjacent sub-region of the same view. There can be overlaps between the two regions.

22

Zooming in Screen-Space (Pixels)

- Example: Zooming in XmdvTool
- Demo

23

Zooming in Data Space




Interactive map from www.mapquest.com

24

Zooming in Topology Space


- Semantic zooming in Space-Optimized Tree



25

Panning and Zooming

- Panning in high levels of detail can be time consuming
 - Solution: zoom out, pan, and zoom in
 - Drawbacks: jitter in the process
- Improvement: Smooth and Efficient Zooming and Panning (van Wijk and Nuij, Infovis 03)



26

Panning and Zooming

- “Speed-Dependent Automatic Zooming for Browsing Large Documents” Igarashi & Hinckley, Proc. UIST'00, pp. 139-148.
 - Keep constant perceptual scrolling speed
 - Scale X Speed = Constant

Video!

27

Zooming and Panning

- SpaceTree: Supporting Exploration in Large Node Link Tree, Design Evolution and Empirical Evaluation Grosjean, Plaisant and Bederson, InfoVis 2002
 - A zooming environment that dynamically lays out branches of a tree to best fit and available screen space
 - Video

28

Distortion

- **Distortion** - an operation that increase the screen space allocated to some objects in the display while decreasing the screen space allocated to other objects.

29

Magnifier Lens

Now is the time for all
good people to come to
the aid of their country.

Now is the time for all
good people to come to
the aid of their country.





Figure from [Robertson & Mackinlay UIST 93]

30

FishEye Lens [Furnas86]




31

Fisheye Menus

- Bederson, B. B. (November 2000)
Fisheye Menus
Proceedings of ACM Conference on User Interface Software and Technology (UIST 2000), pp. 217-226, ACM Press.
- Video


32

Perspective Wall [MRC91]




33

Document Lens [Robertson & Mackinlay UIST 93]



34

Document Lens [Robertson & Mackinlay UIST 93]




35

Document Lens [Robertson & Mackinlay UIST 93]




36

Table Lens Distortion in Scatterplots




39

Flip Zooming [Holmquist SIGCHI 97]




Flip Zooming



41

Hierarchical Image Browser [Holmquist and Björk SIGGRAPH 98]



42

EdgeLens [Wong at. el. Infovis 03]

- Video

<http://grouplab.cpsc.ucalgary.ca/papers/videos/>

43

MoireGraph [Jankun-Kelly and Ma Infovis 03]

- Video

<http://www.cse.msstate.edu/~tjk/publications/>

44


DateLens

- Video
- <http://www.cs.umd.edu/hcil/dateLens/>

45

InterRing

InterRing
(infovis02)




46

Rearrange View

- Keep same fundamental representation and what data is being shown, but rearrange elements
 - Alter positioning
 - Sort


47

Rearrange



Sorting

- Can sort data with respect to a particular attribute in Table Lens




49

Changing Representation

- May interactively change entire data representation
 - Looking for new perspective
 - Limited real estate may force change

50

Changing Representation




Coordinated Views

- Reveal different aspect of the data
- Help navigation


Example – Visible Human Explorer

video




53

Example – Hierarchical Parallel Coordinates




Example – Lighthouse System



55


Example – XmdvTool



56

Example – Extended Parallel Coordinates

- Hauser et. al. Infovis 2002



57

Highlighting Connections

- Viewer may wish to examine different attributes of a data case simultaneously
- Alternatively, viewer may wish to view data case under different perspectives or representations
- But need to keep straight where the data case is


58

Brushing

- Applies when you have multiple views of the same data
- Selecting or highlighting a case in one view generates highlighting the case in the other views
- Very common technique in InfoVis

59

N-D Brushing



60

Structure-Based Brushing

- Demo

61

Filtering/Limiting

- Changing the set of data cases being presented
 - Focusing
 - Narrowing/widening

62

Video

- Filter for Boolean variables

63

Dynamic Query

- DB Queries
 - Select** house-address
 - From** atl-realty-db
 - Where** price \geq 200,000 **and**
price \leq 400,000 **and**
bathrooms \geq 3

64

Typical Query Response

- 124 hits found
 - 1. 748 Oak St. - a beautiful ...
 - 2. 623 Pine Ave. -
 - ...
- 0 hits found

65

Problems

- Must learn language
 - Only shows exact matches
 - Don't know magnitude of results
 - No helpful context is shown
 - Reformulating to a new query can be slow
 - ...

66

Dynamic Query

- Specifying a query brings immediate display of results
- Responsive interaction (< .1 sec) with data, concurrent presentation of solution
- “Fly through the data”, promote exploration, make it a much more “live” experience

67

Dynamic Query Constituents

- Visual representation of world of action including both the objects and actions
- Rapid, incremental and reversible actions
- Selection by pointing (not typing)
- Immediate and continuous display of results


68

Idea at heart of Dynamic Query

- There often simply isn't one perfect response to a query
- Want to understand a set of tradeoffs and choose some "best" compromise
- You may learn more about your problem as you explore


69

Alphaslider



70

Rangeslider



71

Videos

- 1. Ben's dynamic query talk
- 2. Filmfinder
- 2. Ben's spotfire talk


72

DQ Strengths

- Work is faster
- Promote reversing, undo, exploration
- Very natural interaction
- Shows the data

73

Data Visualization Sliders



74


Brushing Histograms

- Qing Li, Xiaofeng Bao, Chen Song, Jinfei Zhang, Chris North, Dynamic Query Sliders vs. Brushing Histograms, *Proc. of ACM CHI 2003*, April 2003, Fort Lauderdale, Florida, April 2003
- Qing Li, Chris North, Empirical Experiment of Dynamic Query Sliders and Brushing Histograms, *Proc. of IEEE Information Visualization 2003*, Seattle, Washington, October 2003

75


Design Iterations

- 1st Stage: Plain DQ sliders
- 2nd stage: Add histograms on slider to clarify skewed distributions, but caused more confusion
- 3rd stage: Changed thumbs from arrows to bars, added mouse cursor
- Future: change to brushing, redesign histograms, continuous line, pixel-level granularity



76

Brushing Histograms



77

Brushing Histograms

- Special case of brushing
- Data values represented in histograms that can be clicked on and selected (controls region)
- When items selected there, the corresponding item(s) are highlighted in main view windows

78

DQ vs. BH

- Empirical Study
 - Use DataMaps, a geographic (US states) data visualization tool
- Have participants do different tasks with both methods
 - How many states have pop between x and y in 1970?
 - Given 3 states, which has the lowest median income?
 - What's the relationship between education and income?
 - List states with pops. 0->x and y->z.
 - What kind of a state is Florida?

79

Findings

Functioned more as its own infovis tool

- Brushing histograms better and more highly rated for more complex discovery tasks
 - Attribute correlation, compare, and trend evaluation
 - Functioned more as its own infovis tool
- Dynamic queries better for more simple range specification tasks
 - Single range, multiple ranges, multiple criteria
 - Functioned more as auxiliary control for other vizs

80

Animation

- A smooth transition that relates the old display to the new one when display changes in an interface
- A commonly held belief
 - Animation helps users maintain object constancy and thus helps users to relate the two states of the system
- A reported user study [Bederson and Boltman Infovis99]:
 - Increased users' ability to reconstruct info space
 - No penalty on task performance
 - Cost extra in response time vs. Relate two states faster

81

Reference

- John stasko's infovis class slides

82